

## Extended Right Angle Sanders, Buffers & Polishers for Surface Finishing Abrasives

### 300RAE(X)M Series

### 400RAE(X)M Series


**300RAE3M2K;4000;5SP**

**400RAE3M2R;2900;7SP**


Sanding Pad Size	Max. Rated Speed	Lever Style	MODEL NUMBER	Sanding Pad Size	Exhaust Direction	Max. Rated Speed	Lever Style	MODEL NUMBER		
5 Inch (125 mm)  5/8-11 Spindle Output Thread	5200 RPM	Standard Lever	<b>310RAE3M2;5200;5SP</b>	7 Inch (180 mm)  5/8-11 Spindle Output Thread	Side	3800 RPM	Standard Lever	<b>410RAE3M2;3800;7SP</b>		
		Safety Lever	<b>310RAE3M2K;5200;5SP</b>				Safety Lever	<b>410RAE3M2K;3800;7SP</b>		
	4000 RPM	Standard Lever	<b>300RAE3M2;4000;5SP</b>			Standard Lever	<b>400RAE3M2;2900;7SP</b>			
		Safety Lever	<b>300RAE3M2K;4000;5SP</b>			Safety Lever	<b>400RAE3M2K;2900;7SP</b>			
	3000 RPM	Standard Lever	<b>300RAE5M2;3000;5SP</b>			Standard Lever	<b>400RAE5M2;2200;7SP</b>			
		Safety Lever	<b>300RAE5M2K;3000;5SP</b>			Safety Lever	<b>400RAE5M2K;2200;7SP</b>			
	1800 RPM	Standard Lever	<b>300RAE8M2;1800;5SP</b>		Standard Lever	<b>400RAE8M2;1300;7SP</b>				
		Safety Lever	<b>300RAE8M2K;1800;5SP</b>		Safety Lever	<b>400RAE8M2K;1300;7SP</b>				
					Rear		3800 RPM	Standard Lever	<b>410RAE3M2R;3800;7SP</b>	
					Rear			2900 RPM	Safety Lever	<b>410RAE3M2RK;3800;7SP</b>
					Rear		2200 RPM		Standard Lever	<b>400RAE3M2R;2900;7SP</b>
					Rear			1300 RPM	Safety Lever	<b>400RAE3M2RK;2900;7SP</b>
				Rear		2200 RPM	Standard Lever		<b>400RAE5M2R;2200;7SP</b>	
				Rear			1300 RPM	Safety Lever	<b>400RAE5M2RK;2200;7SP</b>	
				Rear		1300 RPM		Standard Lever	<b>400RAE8M2R;1300;7SP</b>	
				Rear			1300 RPM	Safety Lever	<b>400RAE8M2RK;1300;7SP</b>	

**RIGHT ANGLE SANDERS**

**0.7 H.P.**  
(600W)

**25 cfm**  
(11.8 L/s) Max

**4.2 lbs (1.9 Kg) Aluminum**  
**4.6 lbs (2.1 Kg) Steel**

**1/4" NPT Inlet**  
**3/8" (10 mm) Hose Size**

**1.2 H.P.**  
(900 W)

**35 cfm**  
(16.5 L/s) Max


**5.0 Lbs. (2.3 Kg) Aluminum**  
**5.6 Lbs. (2.5 Kg) Steel**

**3/8" NPT Inlet**  
**1/2" (13mm) Hose Size**

### STANDARD EQUIPMENT

- Tool
- Operating Instructions and Service Manual
- Wrenches (sizes based on options)

### 300RAE(X)M & 400RAE(X)M Alternate Options



### Surface Conditioning Abrasive Mounting

